



SHIV HARI INNOVATIONS

HOME | INDUSTRY | CORPORATE



**Manufacturer and supplier of
Lab Furniture, Cleanroom Equipment,
and pharmaceutical Equipment Worldwide**

Pharma | Healthcare Institutions | Medical Center

CONTACT US

SHIVHARI INNOVATIONS

GST NO: 24AFHFS6714D1Z4

+91 99744 62112

✉ info@shivhariinnovations.com **🌐 www.shivhariinnovations.com**

CORPORATE

BUSINESS OVERVIEW

Company Introduction

ShivHari Innovations is a trusted manufacturer of Lab Furniture, Cleanroom Equipments and Pharma Equipments For Pharma, Healthcare, Medical, Educational Laboratories needs.

We offer a wide range of efficient products to meet evolving consumer demands and have completed several prestigious projects across India with our innovative


Our Mission

Our Mission is to provide top-quality, cost-effective Lab Furniture, Cleanroom Equipments and Pharma Equipments, offering 24/7 services globally. We strive to deliver consistent value, reliability, and exceptional customer services, aiming to be a leading solution provider both nationally and Internationally.

Our Vision

- ▶ Our vision is to become a top provider of Lab Furniture, Cleanroom Equipments and Pharma Equipments gears globally. We aim to foster a culture that values skilled people and customers, promoting openness and honesty in business to build trust and create ongoing opportunities.





We set ups based on detailed engineering drawing 2D or 3D, BOQ & Technical Specification received from customers/consultants

WHY CUSTOMERS LOVE US



Laboratory Wall Bench

Description – We are provided to you independent working table with eco-friendly design, durable construction & special chemical resistance in Surrounding lab wall/partition for easy working & put the sophisticated lab instrument. Apart from this, our laboratory work station can be customized with set-up & installation.

General Specifications:-

Plinth Base type Under Storage:- Drawer & Shutter Combination, Full Shutter, Only Drawers

Worktop – Natural Granite, Stainless steel & Wooden Construction

M.O.C of Under Storage cabinet – Galvanized Steel, Stainless Steel

Wall Bench Size – Length – 750 to as per Room requirement Width – 750 to 900mm, Height – 750 to 900mm Ht.

Corner bench size – Length – 1030 to 1200mm, Height – 750 to 900mm

Electrical Raceway With 6/16 Amp Socket With 16 Amp Switch With internal Wiring, Data Socket Provision without wiring.

As per lab user requirement can provide PP Sink, S.S Sink, Eye Wash. Peg board, Regent rack with worktop mounted 1 Way valve for utility.

We can provide color combination as per your requirement & partition panel, Door with nearest interior for best look.

Application – Pharma, Healthcare, Medical, Educational laboratories



Laboratory Island Bench

Description – We are providing to you independent center working table with eco-friendly design, durable construction & special chemical resistance in center of lab for easy working & put the sophisticated lab instrument. Apart from this, our Island laboratory work station can be customized with set-up & installation.

General Specifications:-

Plinth Base type Under Storage:- Drawer & Shutter Combination, Full Shutter, Only Drawers

Worktop – Natural Granite, Stainless steel & Wooden Construction

M.O.C of Under Storage cabinet – Galvanized Steel, Stainless Steel


Island Bench Size – Length – 750 to as per Room requirement Width – 1500 to 1800mm, Height – 750 to 900mm Ht.

Electrical Raceway With 6/16 Amp Socket With 16 Amp Switch With internal Wiring, Data Socket Provision without wiring.

As per lab user requirement can provide PP Sink, S.S Sink, Eye Wash. Peg board, Regent rack with worktop mounted 1 Way valve for utility.

We can provide color combination as per your requirement & partition panel, Door with nearest interior for best look.

Application – Pharma, Healthcare, Medical, Educational laboratories



Laboratory Fume Hood

Description : A Fume Hood is a category of local ventilation device that is developed to confine exposure to toxic fumes and vapours in a laboratory, Fume Hood Used in all types of labs, the primary goal of the hood is to protect the user from these reagents and to protect other laboratory staff, animals and/or experiments from contaminations. Air is pulled away from the user and filtered or released to the external environment. Fume Hoods are found in a variety of shapes and sizes- Small bench top units are available for space challenged labs, and larger cabinet-type units are available for storage and space demanding experiments. Application will determine the type of fume hood needed. For example specially designed units are designed to protect users from radioisotopes, and units with a wash-down system of water spray nozzles dispersed throughout the hood are required for work with perchloric acid. When choosing an proper hood for your lab, consider special application requirements, energy consumption, available space and types of filters needed.

Types of Fume Hoods

Bench Type Fume Hood ,
Low bench Type Fume Hood
Walk in Type Fume Hood ,
Fume/Spot Extraction System
Canopy Hood



Anti Vibration Table

Description : Anti Vibration Tables Have granite tabletop with rubber pads to trim down and suppress the vibrations, which is highly useful to get accurate data sets. The anti-vibration table offers precise working conditions for devices that are subtle to vibrations and shocks. The table comprises two diverse parts, an internal working surface entailing a large size granite slab mounted on rubber shock captivating mounts. The other part is and external service table with an explicit steel frame and adaptable levelling feet.

Specification

M.O.C of Anti Vibration Table – Galvanized Steel, Stainless Steel

Anti Vibration Table : Length: 600 to 1200mm,
Width : 600 to 900mm,
Height: 750 to 900 mm,

Application – Pharma, Healthcare, Medical, Educational laboratories



Wall Mounted Cabinet

Description: Wall Storage Cabinets are directly Mounted on specific wall right over the benches. The Main Objective Of these Cabinets is to store the documents and small-sized accessories in the cabinet.

Cabinet Size : Length: 600 to 900mm,
Width : 350 to 450mm,
Height: 600 to 750 mm,



Glassware Storage Cabinet

Description: Glassware storage cabinets are developed to safely store precise glassware, accessories and useful documents.

Cabinet Size : Length: 750 to 1000mm,
Width : 450 to 600mm,
Height: 1800 to 2100 mm,



Chemical Storage Cabinet

Description: Chemical storage cabinets are developed to safely store precise chemical & Acid Storage purpose

Cabinet Size : Length: 750 to 1000mm,
Width : 450 to 600mm,
Height: 1800 to 2100 mm,



Slotted Angle Rack

Description : We manufacture the slotted angle racks and slotted angle racks in a variety of designs and dimensions. They are made through advanced technical processes and are made using CR, mild and HR Steel. They are durable, robust in construction.

Rack Size : Length: 800 to 1200mm,
Width : 400 to 600mm,
Height: 1800 to 2400 mm,

Application : Storage Units, Godowns, Pharma Industry



Gas Cylinder Storage Cabinet

Description: GAS Cylinder storage cabinets are developed to safely store precise for Cylinder bracket

Cabinet Size : Length: 750 to 1000mm,
Width : 450 to 600mm,
Height: 1800 to 2100 mm,



Locker Storage Cabinet

Description: Locker storage cabinets are developed to sample storage purpose

Cabinet Size : Length: 750 to 1000mm,
Width : 450 to 600mm,
Height: 1800 to 2100 mm,



Heavy Duty Rack

Description : We manufacture the Heavy duty rack in a variety of designs and dimensions. They are made through advanced technical processes and are made using CR, mild and HR Steel. They are durable, robust in construction With Heavy Load Capacity Shelf.

Rack Size : Length: 800 to 2000mm,
Width : 400 to 1000mm,
Height: 1800 to 3000 mm,

Application : Storage Units, Godowns,
Pharma Industry, Finish Good & Raw



Static Pass Box

Static Pass Box Equipment's Fabricated with powder coated 304 / 316 grades stainless steel and high quality components and are capable of eradicating pollutants completely from the air, These static pass boxes are installed in manufacturing area and filter the incoming air in order to keep the air free from dust and other contaminants. With UV light along with hour meter, Fluorescent light, buzzer indicator to know the material is kept inside and indicating lamp, these static pass boxes provide excellent working performance in the clean room unit.

Technical Specification :

MOC : GI Powder coated/SS-304/SS-316

Construction : Single Skinned / Double Skinned

Door : Swing type Double Door (Double Skinned) with view panel with SS hinges , D Type Handle

Fluorescent light (interlock with door)

UV light with hour meter (interlock with door)

internal pencil coving for easy cleaning

Electro Magnetic Locking System

Model	Working area WDXH	Overall Dimension WDXH
SPB-1	300 X 300 X 300	420 X 350 X 440
SPB-2	450 X 450 X 450	570 X 500 X 590
SPB-3	600 X 600 X 600	720 X 650 X 740
SPB-4	600 X 600 X 750	720 X 650 X 890
SPB-5	750 X 750 X 750	870 X 800 X 890
SPB-6	750 X 750 X 900	870 X 800 X 1040



Dynamic Pass Box

Dynamic Pass Box Equipment are made of Powder coated and high grades stainless still (304 / 316 / 316 L) with international quality standard components including mechanically or electrically interlocked doors and UV light. These dynamic pass box equipment are equipped with suction filter made of stainless still with 95% down to 5 μ efficiency (EU-5 rating) and supply filter made of aluminum with 99.997% down to 0.3 μ (EU-14 Rating.) An interlock guard system controls the inlet and the outlet of PASS BOX not be opened at the same time, in order to prevent the cross contamination.

Technical Specification :

MOC : GI Powder coated/SS-304/SS-316

Construction : Single Skinned / Double Skinned

EU14-HEPA FILTER – Supply (99.997% down to 0.3 μ)

EU 5 – Return filter (95% down to 5.0 μ)

Blower : Statically & dynamically balanced motor-Blower with isolator to reduce noise level

Differential Pressure Gauge : 01 No. (HEPA FILTER)

Door : Swing type Double Door (Double Skinned) with view panel with SS hinges , D Type Handle

Fluorescent light (interlock with door)

UV light with hour meter (interlock with door)

internal pencil coving for easy cleaning

Electro Magnetic Locking System

DQ, IQ, OQ, PQ, Documentation



Model	Working area WDXH	Overall Dimension WDXH
DPB-1	300 X 300 X 300	420 X 350 X 840
DPB-2	450 X 450 X 450	570 X 500 X 990
DPB-3	600 X 600 X 600	720 X 650 X 1140
DPB-4	600 X 600 X 750	720 X 650 X 1290
DPB-5	750 X 750 X 750	870 X 800 X 1290
DPB-6	750 X 750 X 900	870 X 800 X 1440

Stainless Steel Products



SS WORKING TABLES



SS LAB TABLE



SS LOCKER



SS COMPUTER TABLE



SS CANTEEN TABLE



SS STORAGE CABINET



S ROUND CHAIR



SS SQUARE STOOL



SS ROUND STOOL

Stainless Steel Products



SS VISITOR BENCH



SS CROSS OVER BENCH



SS WASHING TABLE



SS DUSTBIN



SS STORAGE RACKS



**SS WALL MOUNTED
STORAGE CABINET**



**SS MULTIPURPOSE
TROLLEY**



SS PALLETS



SS MOPPING TROLLEY

A collection of stainless steel kitchen equipment. The items include a rolling cart with five drawers, a rectangular tray, a bucket with a handle, two mugs, a scoop, two knives, a toolbox, four measuring cups, and a thermos with a small container.

- **Tray**
- **Spoon**
- **Mug**
- **Oil Can**
- **Liquid Sampler**
- **Scoop**
- **Scraper**
- **Bucket**
- **Tool Box**
- **Powder Sampler**



- Hinges
- Handle
- Channel
- Lock
- Screw
- Nut
- Washer
- Plate
- Round Bar
- Engle
- T bar
- I Section
- Stoper
- Bend
- Reduser
- Pipe
- Fastener

SS INVISIBLE SAFETY GRILL

We're the only one who develop this product in All Ahmedabad



ANTI RUST

What's Visible is seamless

What's invisible is strength





SHIV HARI INNOVATIONS


HOME | INDUSTRY | CORPORATE



CONTACT US!

**Manufacturer and supplier of
Lab Furniture, Cleanroom Equipment,
and pharmaceutical Equipment Worldwide
Pharma | Healthcare Institutions | Medical Center**

Corporate Office

 E-212 Ganesh Glory 11, Nr. BSNL Office Tower
Jagatpur, Ahmedabad, Gujarat - 382481

Manufacturing Unit

 Dev Aditya Industrial estate, Dhamatvan,
Bakrol, Ahmedabad, Gujarat - 388315

 +91 99744 62112

 info@shivhariinnovations.com

 www.shivhariinnovations.com